

## EFORT Webinar

Monday 29 April 2019 from 19:00–20:00 CET



### ONE-STAGE vs. TWO-STAGE IN HIP INFECTION

[www.efort.org/elearning](http://www.efort.org/elearning)

 #EOTEPE

## EFORT Webinar | One-stage vs Two-stage in Hip Infection: Tips & Tricks

Monday 29 April 2019 | 19:00-20:00 CET

Tired of monotonous defenses of 1 stage and 2 stage of Hip Infection?

- Do PJI surgeons remind you of politicians or pop music fans?
- Do you actually know the latest comparisons of multicenter series?
- Do you think all 1-stage and 2-stages are the same?  
*or,*
- on the contrary, are you concerned about today's controversies when faced with a new case?
- Wouldn't you like to hear about specific surgical tricks, friendly advice and inspiring ideas from prominent experts witnessing countless numbers of cases every year?

To answer these questions join the webinar by registering on line:

<http://efortnet.conference2web.com/webinars>

**More information:** <https://www.efort.org/elearning/>

This Webinar is organised by the EFORT Orthopaedic Education Group independent of any commercial educational support and hosted by M-Events.

EFORT WEBINAR PROGRAMME 'One Stage or Two Stage in Hip Infection: Tips & Tricks'	
Moderator* & Speakers	Presentation Topic
Jose Cordero-Ampuero*, Spain	Introduction
Jose Cordero-Ampuero, Spain	1 vs 2 stage: Comparisons and Controversies
Thorsten Gehrke, Germany	Tricks for One-Stage
Luigi Zagra, Italy	Tricks for Two-Stage
All speakers & participants	Questions, Discussions & Answers

**You may also like:**

**High cure rate of periprosthetic hip joint infection with a standardized treatment algorithm using two-stage exchange**

By Tobias Winkler | 19<sup>th</sup> EFORT Annual Congress Barcelona 2018

URL: <https://efortnet.conference2web.com/#!/resources/high-cure-rate-of-periprosthetic-hip-joint-infection-with-a-standardized-treatment-algorithm-using-two-stage-exchange>

.....

**Similar risk of re-revision following one- and two-stage revision of infected total hip arthroplasty**

By Karin Svensson | 18<sup>th</sup> EFORT Annual Congress Vienna 2017

URL: <https://efortnet.conference2web.com/#!/resources/similar-risk-of-re-revision-following-one-and-two-stage-revision-of-infected-total-hip-arthroplasty>

.....

**Good results in Tsukayama type IV hip arthroplasty infection with combined and extended oral antibiotics**

By José Cordero Ampuero | 18<sup>th</sup> EFORT Annual Congress Vienna 2017

URL: <https://efortnet.conference2web.com/#!/resources/good-results-in-tsukayama-type-iv-hip-arthroplasty-infection-with-combined-and-extended-oral-antibiotics>

.....

**Diagnosis of persistent infection in prosthetic two-stage exchange: evaluation of the effect of sonication on antibiotic release from bone cement spacers**

By Sandrine Mariaux | 17<sup>th</sup> EFORT Annual Congress Geneva 2016

URL: <https://efortnet.conference2web.com/#!/resources/diagnosis-of-persistent-infection-in-prosthetic-two-stage-exchange-evaluation-of-the-effect-of-sonication-on-antibiotic-release-from-bone-cement-spacers-338aabcc-6296-4594-bd9a-4c6c6e346924>

.....

**Debridement and implant retention of periprosthetic hip joint infection – a retrospective analysis of 39 cases**

By Patrick Olivier Lötcher | 17<sup>th</sup> EFORT Annual Congress Geneva 2016

URL: <https://efortnet.conference2web.com/#!/resources/debridement-and-implant-retention-of-periprosthetic-hip-joint-infection-a-retrospective-analysis-of-39-cases-903e74f7-7162-4951-9872-1c8ab8536149>

.....

**Outcomes of two-stage revision total hip arthroplasty for infection using an interval prosthesis followed by femoral impaction bone grafting with radiostereometric analysis**

By Jerome Davidson | 17<sup>th</sup> EFORT Annual Congress Geneva 2016

URL: <https://efortnet.conference2web.com/#!/resources/outcomes-of-two-stage-revision-total-hip-arthroplasty-for-infection-using-an-interval-prosthesis-followed-by-femoral-impaction-bone-grafting-with-radiostereometric-analysis>